

Material Information

All colors are available in both our brushed and embossed textures for custom orders.

Ruby Red	Sunset Orange	Sunburst Yellow	Island Green	Olive Green	Seafoam Green	Caribbean Blue	Bahama Blue ⁺
Bimini Blue ⁺	Aqua Camo	Beach Sand	Cream ⁺	Camel ⁺	Mocha ⁺	Cappuccino ⁺	Amy Camo
Mica ⁺	Terra ⁺	Chocolate ⁺	Desert Camo	White	Cool Gray ⁺	Snow Camo	Storm Gray ⁺
Smoke Gray ⁺	Dark Gray ⁺	Midnight Black ⁺					

Select colors are exclusively available in the thicknesses listed below, and are marked accordingly.

⁺ Exclusively available in 3mm (3mm material is laminated together as a top and bottom layer to create a two-color, 6mm composite.)

⁺ Compatible with designer laser patterning

Texture Options

Embossed^{*}


Brushed

* Not compatible with designer laser patterning.

Routing Designs



Thicknesses



Typically, cockpit kits and swim platform pads are 5mm (one color) or 6mm (two colors.)
Anti-fatigue helm station pads can range from 13mm to 23mm. Coaming bolsters are typically 20mm or 23mm.

Material Information Sheet

Please print legibly and print your name on the outside of the package.

Please specify:	<input type="checkbox"/> SeaDek Dealer	<input type="checkbox"/> SeaDek Certified Installer	<input type="checkbox"/> Direct Customer
Customer Name			
Address			
Phone Number		Email Address	
Boat Year, Make & Model			

Reference Material Information Sheet for below fields

Single Color Material Preference <small>**limited colors</small>	Multi-Color Material Preference <small>*only available in 9MM</small>
<input type="checkbox"/> 3MM <input type="checkbox"/> 5MM <input type="checkbox"/> 10MM** <input type="checkbox"/> 20MM**	<input type="checkbox"/> 6MM <input type="checkbox"/> 8MM <input type="checkbox"/> 9MM* <input type="checkbox"/> 10MM <input type="checkbox"/> 13MM <input type="checkbox"/> 15MM <input type="checkbox"/> 20MM <input type="checkbox"/> 23MM
Single Color	Top Color Middle Color* Bottom Color
Texture	Full Sheet Laser Patterning* <small>*Laser patterns and approved laser colors can be viewed on the SeaDek website.</small>
<input type="checkbox"/> Brushed <input type="checkbox"/> Embossed	<input type="checkbox"/> Yes Pattern Name _____ <input type="checkbox"/> No
Routing Options*	<small>*Other routing designs require a design reference, and prior approval.</small>
<input type="checkbox"/> Solid (No Lines) <input type="checkbox"/> Pinline (Routed Border) <input type="checkbox"/> Hexagon Pattern <input type="checkbox"/> Fractal Pattern <input type="checkbox"/> Diamond Pattern <input type="checkbox"/> Fish Scales	
Teak Options & Teak Direction	Logo(s)* <small>*Please call to verify use of Manufacturers logo. Please supply a PDF or JPEG of logo for quoting purposes. Size restrictions apply to laser logos.</small>
<input type="checkbox"/> 2" Teak <input type="checkbox"/> 4" Teak <input type="checkbox"/> Bow to Stern <input type="checkbox"/> Port to Starbaord	<input type="checkbox"/> Routed Logo <input type="checkbox"/> Laser Logo <input type="checkbox"/> None

Notes:

Your templates will not be processed without this sheet being completed entirely. If you submit this sheet incomplete, we will send you an 'Information Needed' email with this diagram attached. Your project will remain idle until this information is supplied to SeaDek.

Part Numbers and Descriptions

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20

