


## Color Samples

All colors are available in both our brushed and embossed textures for custom orders.

Ruby Red	Sunset Orange	Sunburst Yellow	Island Green	Olive Green <sup>+</sup>	Seafoam Green	Caribbean Blue	Bahama Blue <sup>+</sup>
Bimini Blue <sup>+</sup>	Aqua Camo	Beach Sand	Cream <sup>+</sup>	Camel <sup>+</sup>	Mocha <sup>+</sup>	Cappuccino <sup>+</sup>	Army Camo
Mica <sup>+</sup>	Terra <sup>+</sup>	Chocolate <sup>++</sup>	Desert Camo	White	Cool Gray <sup>+</sup>	Snow Camo	Storm Gray <sup>+</sup>
Smoke Gray <sup>+</sup>	Dark Gray <sup>+</sup>	Midnight Black <sup>+</sup>	<p>Select colors are exclusively available in the thicknesses listed below, and are marked accordingly.</p> <p>* Exclusively available in 3mm (3mm material is laminated together as a top and bottom layer to create a two-color, 6mm composite.)</p> <p>+ Compatible with designer laser patterning</p>		<p><b>Texture Options</b></p> <div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 5px; width: 40px; height: 40px; background-color: #ccc;">Embossed<sup>*</sup></div> <div style="border: 1px solid black; padding: 5px; width: 40px; height: 40px; background-color: #ccc;">Brushed</div> </div>		

## Thicknesses



Typically, cockpit kits and swim platform pads are 5mm (one color) or 6mm (two colors.)  
Anti-fatigue helm station pads can range from 13mm to 23mm. Coaming bolsters are typically 20mm or 23mm.

### Warranty Consideration

Note, because of excessive heating when exposed to sunlight, black is not recommended as a top color. Therefore, it is not covered under the product warranty.

### Overview

Each sheet of clear vinyl represents one sheet of SeaDek. For larger parts or kits, please tape together sheets or pieces of clear vinyl and our CAD department will break down the parts appropriately. Please use the boat diagram to illustrate a rough idea of where each part belongs on the boat and how each piece relates to each other. Mark the top, bow, and stern on each part so that orientation is easily identifiable. Please do not fold the clear vinyl sheet.

Contact: [customerservice@seadek.com](mailto:customerservice@seadek.com) / [sales@seadek.com](mailto:sales@seadek.com)  
5440 Schenck Ave. Rockledge, FL 32955 Ph: 321.632.4466 / Fax: 321.632.7019 [www.seadek.com](http://www.seadek.com)

# Material Information Sheet

Please print legibly and print your name on the outside of the package.

Please specify:	<input type="checkbox"/> SeaDek Dealer	<input type="checkbox"/> SeaDek Certified Installer	<input type="checkbox"/> Direct Customer
Customer Name			
Address			
City, State, Zip			
Email Address			
Boat Year, Make & Model			

## Reference Material Information Sheet for below fields

Single Color Material Preference <small>*limited colors</small>	Multi-Color Material Preference <small>*only available in 9MM</small>		
<input type="checkbox"/> 3MM <input type="checkbox"/> 5MM <input type="checkbox"/> 10MM* <input type="checkbox"/> 20MM*	<input type="checkbox"/> 6MM <input type="checkbox"/> 8MM <input type="checkbox"/> 9MM* <input type="checkbox"/> 10MM <input type="checkbox"/> 13MM <input type="checkbox"/> 15MM <input type="checkbox"/> 20MM <input type="checkbox"/> 23MM		
Single Color	Top Color	Middle Color*	Bottom Color

## Routing Options

<input type="checkbox"/> 2" Teak <input type="checkbox"/> 4" Teak <input type="checkbox"/> Hexagon Pattern <input type="checkbox"/> Fractal Pattern <input type="checkbox"/> Diamond Pattern <input type="checkbox"/> Other	*Other routing designs may require a design reference, and approval.
---	--

## Full Sheet Laser Pattern

<input type="checkbox"/> Yes    _____ <input type="checkbox"/> No	Laser patterns and approved laser colors can be viewed on the SeaDek website.
---	---

## Logo(s)

<input type="checkbox"/> Routed Logo <input type="checkbox"/> Laser Logo                    Please supply a PDF or JPEG of logo for quoting purposes. <input type="checkbox"/> No logo	Please call to verify use of Manufacturers logos.
--	---

Notes:

Your templates will not be processed without this sheet being completed entirely. If you submit this sheet incomplete, we will send you an 'Information Needed' email with this diagram attached. Your project will remain idle until this information is supplied to SeaDek.

Part Numbers and Descriptions

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	

